







RF Components

Model Number:
WGTX-1856

Ku-Band Waveguide Twist

10 – 15 GHz



FLANGE: PBR120

FLANGE: PBR120

Specification	
Waveguide Size	WG17 / WR75 / R120
Frequency	10 - 15GHz
VSWR	1.1:1
Waveguide Flanges	PBR120
Material	Copper Waveguide, Brass Flanges
Finish	Black Paint

Broadcast



Marine Oil & Gas



SNG & VSAT



Satellite Teleport






RF Components

Model Number:
WGTXX-197174-PBPB

X-Band Waveguide Twist

7.05 –10 GHz



Specification	
Waveguide Size	WG15 / WR112 / R84
Frequency	7.05 –10 GHz
Waveguide Flanges	PBR 120
Material	Copper Waveguide, Brass Flanges
Finish	Black Paint
VSWR	1.05:1
Insertion Loss	0.079dB per meter
Max Power	345 kW
Length	100mm
Twist Direction	Clockwise
Twist Angle	90 Degrees

Broadcast



Marine Oil & Gas



SNG & VSAT



Satellite Teleport






RF Components

Model Number:
WGTCX-1811

Waveguide 90 Deg Twist

5.85 - 8.2GHz



Specification	
Waveguide Size	WG14 / WR137 / R70
Frequency	5.85 - 8.2GHz
VSWR	1.05:1
Waveguide Flanges	CPR137F & CPR137G
Material	Copper WG, Brass Flanges
Finish	Black Paint
A dimensions	200mm
Twist (deg)	90 degree
Twist Direction	Clockwise

Broadcast



Marine Oil & Gas



SNG & VSAT



Satellite Teleport






RF Components

Model Number:
WGTC1-197169

C-Band Waveguide Twist

3.30 - 4.90 GHz



Specification	
Waveguide Size	WG11 / R40 / WR229
Frequency	3.30 - 4.90 GHz
Waveguide Flanges	CPRG / CPRF
Material	Copper Waveguide, Brass Flanges
Finish	Black Paint
VSWR	1.05:1
Insertion Loss	0.025dB per meter
Max Power	1500 kW
Length	304.8 mm
Twist Direction	Clockwise
Twist Angle	90 Degrees

Broadcast



Marine Oil & Gas



SNG & VSAT



Satellite Teleport

